



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/685,059	10/14/2003	Jeffrey S. Brooks	BSS 6426.1	5710
321	7590	10/05/2004	EXAMINER	
SENNIGER POWERS LEAVITT AND ROEDEL			COURSON, TANIA C	
ONE METROPOLITAN SQUARE			ART UNIT	
16TH FLOOR			PAPER NUMBER	
ST LOUIS, MO 63102			2859	

DATE MAILED: 10/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/685,059

Applicant(s)

BROOKS, JEFFREY S.

Examiner

Tania C. Courson

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>09JAN04 & 22MAR04</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement filed January 9, 2004 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each U.S. and foreign patent; each publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-2, 4-8, 10-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Gould et al. (US 5,025,476).

Gould et al. disclose a system and method for measuring foot shapes including the following:

With respect to system claims 1 and 19:

- a) a platform (14) comprising a support surface (16) having an opening therein (Fig. 2),
a fixture (20) positioned over the opening having a cavity (Fig. 2) suitable for
receiving a foot to be measured (21) and an imaging device positioned relative to said

opening to produce an image of a bottom surface of the foot (46) superimposed on foot measuring indicia (41), an actuator on the platform for operating the imaging device (column 6, lines 38-41).

With respect to method claims 11 and 15:

- a) placing the foot of a person (Fig. 2) into a fixture (20) positioned over a transparent window (16), scanning a bottom surface of the foot (46) through the window to produce an image of the foot (22) superimposed on foot measuring indicia (41), printing said image (column 12, lines 59-63) and using the image to select a properly sized pair of shoes (column 2, lines 32-37).

With respect to claims 2, 4-8, 10, 12-14, 16-18 and 20:

- a) wherein the fixture is shaped like a shoe (Fig. 2);
- b) wherein the support surface has a transparent window covering the opening (16);
- c) wherein the measuring indicia comprise markers imprinted on the window (41);
- d) wherein the imaging device is an optical scanner configured to produce the image by scanning the foot through the opening (46);
- e) wherein the image scanned image of the bottom surface of the foot and the foot measuring indicia (41);
- f) wherein said support surface comprises a raised platform above the imaging device (Fig. 2), and wherein said system further comprises an actuator on the raised platform for operating the imaging device (column 6, lines 38-41);

Art Unit: 2859

g) wherein said imaging device is operable to print said image (column 12, lines 59-63).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 3 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gould et al. in view of Wartell (US Des. 329,322) and Levine (US 4,064,641).

Gould et al. disclose a system and method for measuring foot shapes, as stated above in paragraph 3.

Gould et al. further disclose wherein the fixture fits snugly against the leg or ankle of the person whose foot is in the fixture to substantially prevent ambient light from entering the fixture (21 & 23).

Gould et al. do not disclose wherein the fixture is a multicolored clown shoe and wherein the fixture comprises a cuff.

Wartell teaches a shoe fixture that consists of wherein the fixture is a multicolored clown shoe (Fig. 1). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the system and method for measuring foot shapes

Art Unit: 2859

of Gould et al., so as to include a multicolored clown shoe, as taught by Wartell, so as to provide a greater amusement during use of the fixture.

Levine teaches a shoe fixture that consists of wherein the fixture comprises a cuff (42). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the system and method for measuring foot shapes of Gould et al., so as to include a cuff, as taught by Levine, so as to provide an increased secured fit during use of the fixture.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The prior art cited on PTO-892 and not mentioned above disclose a foot measuring system and method:

Genest (US 6,549,639 B1)

Brown et al. (US 5,790,256)

Mathiasmeier et al. (US 5,729,905)

Blivice (US 3,328,882)

Bliss (US 2,399,424)

Yves (FR 2652995 A1)

Art Unit: 2859

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tania C. Courson whose telephone number is (571) 272-2239.

The examiner can normally be reached on Monday-Friday from 8:00AM to 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez, can be reached on (571) 272-2245.

The fax number for this Organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



DIEGO F.F. GUTIERREZ
SUPERVISORY PATENT EXAMINER
GROUP ART UNIT 2859

TCC
September 29, 2004